

# FlashEdge™ COATED METAL

PVC Low Slope Systems

## OVERVIEW

FlashEdge PVC Coated Metal is a 24-gauge galvanized steel sheet that is coated with a layer of .035" non-reinforced PVC. PVC membrane may be welded directly to the coated metal, eliminating the need for adhesive strips. The sheets can be cut to the appropriate width and used to fabricate metal drip edges or other roof perimeter edging profiles. The metal is available in 4' by 10' sheets and comes packaged 25 sheets per pallet.

## INTENDED USES

FlashCo's PVC coated metal is used on single ply roofing systems as perimeter edge metal, cap metal, and for other prefabricated accessories compatible with PVC roofing systems.

## INSTALLATION

Installation of FlashEdge PVC Coated Metal in any form shall be in accordance with the recommendations and specifications of the roofing material manufacturer.

1. Install PVC Coated Metal with 1/8" - 1/4" between adjoining sections.
2. Heat-weld PVC non-reinforced flashing over joint.
3. Position PVC reinforced membrane and heat-weld to the PVC Coated Metal

*\*Typical properties and characteristics are based on samples tested and are not guaranteed for all samples of this product. This data and information intended as a guide and does not reflect the specification range for any particular property of this product.*



## FEATURES AND BENEFITS

- Allows direct welding of membrane to deck
- Eliminates the need for adhesive stripping
- Available in multiple colors

## SAVING THE CONTRACTOR TIME

- FlashCo strives to ship 90% of orders within 1-3 days after purchase orders are placed
- Get off the roof sooner
- Reduce installed costs

## STANDARD SIZES & PACKAGING

Size	Qty./Pallet	Wt./Pallet
4' x 10'	25 Sheets	1,100 lbs.

## MATERIALS & COLORS

Steel Thickness	Galvanized Coating	PVC Coating Thickness	Colors
0.024" nominal	G90	0.035" nominal (35 mil)	White, Gray, Tan Dark Bronze Slate Gray (others upon request)

